

ORNAMENT
MARBLE
CEMENT
STONE
WOOD
OPUS

■
MARS

ORNAMENT
MARBLE
CEMENT
STONE
WOOD
OPUS
■
MARS



“

There is no denying the grandeur of stone.
Be inspired by our collection of stone designs,
exclusively created to bring elegance and
beauty to your home.

”

MARS

Light, Beige, Cinder and Graphite, Mars is a many-coloured and complex stone that bears the traces of the ages and reveals to us the simplicity with which Mother Nature creates masterpieces.


We reproduced the stone in its natural colours, preserving the design and the surface to be able to bring it to our homes in all its purity. Mars envelops us in well-being and harmony as only uncontaminated nature can do.

Cherished aesthetics, perfect in ergonomic and modular sizes. It offers excellent technical characteristics and absolute usability.





1



In&Out

SURFACE

2

± 10mm

± 20mm

THICKNESS

4

FORMATS



4

COLOURS



LIGHT



BEIGE



CINDER



GRAPHITE



FLOOR MARS LIGHT 60 X 60cm

“

MARS LIGHT

M36141
30 x 60CM | 12" x 24" ▲

M126141
60 x 120CM | 24" x 48" ►

M6141
60 x 60CM | 24" x 24" ▼

M3141
30 x 30CM | 12" x 12" ►

Colourless crystalline solid common to the waters and in the earthy deposits throughout the world.



WALL MARS LIGHT 30 X 60cm

“ MARS LIGHT

FORMATS

60x120
60x60
30x60
30x30

SURFACES

In&Out

APPLICATIONS

Interior
Exterior
Wall
Floor
Residential
Commercial

“ 12

TWELVE

RANDOM FACES
60cm x120cm





“MARS BEIGE



M3142
30 x 30CM | 12" x 12" ▼

M126142
60 x 120CM | 24" x 48" ▲

M6142
60 x 60CM | 24" x 24" ►

M36142
30 x 60CM | 12" x 24" ◀

Residue derived from the combustion
of organic substances with different
neutral colours.



FLOOR MARS BEIGE 30 X 60cm 60 X 60cm



“ MARS BEIGE

FORMATS

60x120
60x60
30x60
30x30

SURFACES

In&Out

APPLICATIONS

Interior
Exterior
Wall
Floor
Residential
Commercial

“
12
TWELVE
RANDOM FACES
60cm x120cm



WALL MARS BEIGE 20 X 60cm 15 X 60cm 10 X 60cm 7.5 X 60cm



FLOOR MARS BEIGE 60 X 60cm WALL MARS BEIGE 30 X 60cm



FLOOR MARS BEIGE 60 X 120cm



MARS BEIGE


Residue derived from the combustion
of organic substances with different
neutral colours.



FLOOR/WALL MARS CINDER 60 X 120cm

“

MARS CINDER



M3143
30 x 30CM | 12" x 12" ▲



M36143
30 x 60CM | 12" x 24" ▲

M126143
60 x 120CM | 24" x 48" ◀

M6143
60 x 60CM | 24" x 24" ▼



Sedimentary rock made up of minute fragments of mineral rock whose colouring is linked to the typical elements of an area.



FLOOR MARS CINDER 60 X 60cm

“ MARS CINDER

FORMATS

60x120
60x60
30x60
30x30

SURFACES

In&Out

APPLICATIONS

Interior
Exterior
Wall
Floor
Residential
Commercial

“ 12

TWELVE
RANDOM FACES
60cm x120cm




“

MARS CINDER

Sedimentary rock made up of minute fragments of mineral rock whose colouring is linked to the typical elements of an area.



FLOOR MARS CINDER 60 X 120cm



FLOOR MARS CINDER 60 X 60cm **WALL** MARS CINDER 20 X 60cm 15 X 60cm 10 X 60cm 7.5 X 60cm



FLOOR MARS CINDER 60 X 120cm



FLOOR MARS CINDER 60 X 60cm WALL MARS CINDER 30 X 60cm

“MARS GRAPHITE



Surface layer of our planet, with variable thickness from place to place, which rests on the bedrock.





“ MARS GRAPHITE

FORMATS

60x120
60x60
30x60
30x30


SURFACES

In&Out

APPLICATIONS

Interior
Exterior
Wall
Floor
Residential
Commercial

“
12
TWELVE
RANDOM FACES
60cm x120cm



FLOOR MARS GRAPHITE 60 X 120cm **WALL** MARS GRAPHITE 30 X 60cm



WALL MARS GRAPHITE 30 X 60cm



FLOOR MARS GRAPHITE 60 X 120cm

TECHNICAL SPECIFICATIONS

TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	PRESCRIBED VALUES	PADUA VALUES
MEASUREMENT & SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.5%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1300N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥35N/mm²
RESISTANCE TO ABRASION	EN ISO 10545-7	≤205mm³	≤160mm³
SLIP RESISTANCE, WET PENDULUM TEST METHOD, SLIDER 96	AS 4586-2013/AMDT 1-2017 APPENDIX A	N/A	P4
CHEMICAL PROPERTIES			
RESISTANCE TO CHEMICALS RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	MINIMUM GB	PASS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	MINIMUM CLASS 3	PASS

PACKING SPECIFICATIONS

SERIES	SIZES	PCS / CTN	M² / CTN	M² / PLT	CTN / PLT	KG / PLT
MARS	60x120 / 24"x48"	2	1.44	86.4	60	2070
	60x60 / 24"x24"	4	1.44	57.6	40	1240
	30x60 / 12"x24"	8	1.44	57.6	40	1240
	30x30 / 12"x12"	11	0.99	55.44	56	1232



“There is no denying the grandeur of stone. Be inspired by our collection of stone designs, exclusively created to bring elegance and beauty to your home.”





11TH FLOOR, BLDG T13, SMART CITY, NO.1 ZHIHUI RD.,
CHANCHENG FOSHAN, GUANGDONG, CHINA.

+86 757 8256 5826

www.paduaceramics.com