



 GUOCERA

FONDARA
CONCRETE SERIES

FONDARA

CONCRETE SERIES

Embark on a journey through Fondara, a tribute to the timeless elegance of cotto. Woven with the threads of history, this porcelain tile series pays homage to the artisanal marvels of Italian craftsmanship, blending clay and water to echo the ecological charm of cotto tiles. A promise of graceful aging and an ode to environmental consciousness.

In the spirit of Italy's rich heritage, Fondara are an embodiment of meticulous handcrafting, capturing the raw allure of cotto with a spectrum of colors, forms, and textures suitable for both indoor and outdoor floors.

Tracing back in time, Fondara embraces the spirit of Cocciopesto, the modern Italian evolution born in Phoenician North Africa and embraced by the grandeur of the Roman Empire. Tiles, broken into small pieces and tempered with pit lime, stand resilient against the test of time, reflecting an enduring legacy.

Fondara transcends the ordinary, becoming a narrative of craftsmanship, history, and the earth's intrinsic beauty. This collection is not merely tiles; it's an immersive experience where tradition meets innovation in each tile, weaving a compelling story of natural beauty for your living spaces. Welcome to Fondara, where the allure of cotto finds new life, eternally resonating through modern design.

 **GUOCERA**

FONDARA IVORY

GY-FDR2TR

- ▶ 60cm x 60cm
- ▶ 9 randomness
- ▶ **STRUCTURED** surface




TILE TYPE
GLAZED
PORCELAIN

TILE EDGES
RECTIFIED
EDGES

SHADES
V3

FONDARA Ivory, a stunning light beige porcelain tile, reimagines the timeless appeal of clay with a touch of modern sophistication. Its structured surface lends both character and durability, making it an ideal choice for those seeking a harmonious blend of elegance and resilience in their design projects. Transform your spaces with the understated charm of FONDARA Ivory and experience the perfect fusion of style and strength.





**FONDARA
IVORY**

GY-FDR2TR
▶ 60cm x 60cm
▶ 9 randomness
▶ STRUCTURED surface

RESIDENTIAL
application
LIVING AREA



**FONDARA
IVORY**

GY-FDR2TR
▶ 60cm x 60cm
▶ 9 randomness
▶ STRUCTURED surface

LIGHT COMMERCIAL
application
CAFE / BISTRO

 GUOCERA

FONDARA COTTO

GY-FDR3TR

- ▶ 60cm x 60cm
- ▶ 9 randomness
- ▶ STRUCTURED surface



TILE TYPE

GLAZED
PORCELAIN

TILE EDGES

RECTIFIED
EDGES

SHADES

V3

FONDARA Cotto, a captivating earthy brown porcelain tile, seamlessly marries the rustic appeal of clay with the warmth of earthy hues. With its structured surface, FONDARA Cotto offers a stunning combination of durability and style. This tile embodies the industrial elegance of cement, making it a perfect choice for those seeking to infuse their spaces with a touch of modern sophistication. Transform your interiors with FONDARA Cotto, where the timeless allure of clay meets the comforting earthy tones, creating a harmonious and inviting atmosphere.





 GUOCERA

FONDARA GRIGIO

GY-FDR4TR

- ▶ 60cm x 60cm
- ▶ 9 randomness
- ▶ **STRUCTURED** surface



TILE TYPE

GLAZED
PORCELAIN


TILE EDGES

RECTIFIED
EDGES

SHADES

V3

FONDARA Grigio, a striking clay-inspired porcelain tile, introduces a contemporary twist to classic gray hues. Its textured surface adds depth and character, making it an ideal choice for those who appreciate the union of style and durability. FONDARA Grigio captures the industrial elegance of clay with its modern gray tones, offering a versatile design solution that complements a wide range of interior aesthetics. Elevate your spaces with the understated sophistication of FONDARA Grigio, where the timeless charm of clay meets the elegance of contemporary design.



FONDARA
GRIGIO

GY-FDR4TR
▶ 60cm x 60cm
▶ 9 randomness
▶ STRUCTURED surface

RESIDENTIAL
application
INDOOR PATIO



FONDARA
GRIGIO

GY-FDR4TR
▶ 60cm x 60cm
▶ 9 randomness
▶ STRUCTURED surface

RESIDENTIAL
application
LIVING AREA

TECHNICAL SPECIFICATIONS for Guocera Porcelain Tiles (Bla)

Guocera Porcelain Tile are produced according to the specifications of MS ISO 13006:

| DESCRIPTION | MS ISO 13006 (ANNEX G) (Bla) | | GUOCERA SPECIFICATIONS |
|---|--|----------------|--|
| | RECTIFIED | | RECTIFIED |
| Length and Width | ±0.3% (±1.0mm) | | ±0.25% (±0.6mm) |
| Straightness of Sides | ±0.3% (±0.8mm) | | ±0.2% (±0.6mm) |
| Rectangularity | ±0.3% (±1.5mm) | | ±0.3% (±1.2mm) |
| Surface Flatness | - Centre Curvature | ±0.4% (±1.8mm) | ±0.25% (±1.8mm) |
| | - Edge Curvature | ±0.4% (±1.8mm) | ±0.25% (±1.8mm) |
| | - Warpage | ±0.4% (±1.8mm) | ±0.25% (±1.8mm) |
| Thickness | ±5.0% (±0.5mm) | | ±5.0% (±0.5mm) |
| Surface Quality | A minimum of 95% of the tiles free from visible defects which can impair the appearance of a major area of tiles | | A minimum of 95% of the tiles free from visible defects which can impair the appearance of a major area of tiles |
| Water Absorption | ≤ 0.50% | | ≤ 0.25% |
| Breaking Strength - Thickness ≥ 7.5mm | ≥ 1300 N | | ≥ 1300 N |
| Modulus of Rupture (MOR) | ≥ 35 N/mm ² | | ≥ 35 N/mm ² |
| Abrasive Resistance (PEI) | Depending on glaze type and series | | Depending on glaze type and series |
| Frost Resistance | Passed (where frost exist) | | Passed (where frost exist) |
| Crazing Resistance - Glazed Tiles | No sign of crazing | | No sign of crazing |
| Resistance to household chemicals & swimming pool salts | Minimum Class B | | Minimum Class B |
| Stain Resistance - Glazed Tiles | Minimum Class 3 | | Minimum Class 3 |

*Specifier are recommended to seek advice from Guocera Sales Personnel on sustainability of product for intended floor covering.

PACKING DETAILS - GLAZED PORCELAIN

| SIZE (cm) | THICKNESS (mm) | PER CARTON | | | PER PALLET | | |
|-----------|----------------|------------|------|-------------|------------|-------|------------------------------------|
| | | PIECES | SQ-M | WEIGHT (kg) | CARTON | SQ-M | WEIGHT (kg including empty pallet) |
| 60X120 | 10.0 | 2 | 1.44 | 32.00 | 30 | 43.20 | 985 |
| 60X60 | 9.3 | 4 | 1.44 | 30.00 | 32 | 46.10 | 985 |
| 30X60 | 9.3 | 8 | 1.44 | 28.00 | 40 | 57.60 | 1,145 |
| 15X60 | 9.3 | 16 | 1.44 | 28.00 | 32 | 46.10 | 921 |

COLOUR SHADE VARIATION GUIDE

V1



Uniform Appearance
Differences among pieces from the same production run are minimal.

V2



Slight Variation
Slight variations in shade, design, and texture are noticeable.

V3



Moderate Variation
Colour, design, texture and overall appearance of tiles may vary significantly among pieces of tiles.

V4



Substantial Variation
There is substantial and random variation in shade and texture among the pieces of tiles.

Note: Prior to confirming your purchase, please ensure that you have accepted the full faces of the tile design



TILE INSTALLATION GUIDELINES

NOTE:

- Please be aware that the colours of the tiles shown on a computer, tablet, or phone may not be an accurate representation of the actual colour of the tiles.
- Please take note that the color and design of the tiles may vary depending on the faces and sections from which they are cut. To ensure an accurate representation of the tile design, we recommend requesting full faces of the tile prior to confirming your purchase.
- Please note that slight variations in size and shade are a natural part of the ceramic tile manufacturing process. All tiles are packed into cartons that are clearly marked in compliance with applicable manufacturing standards.
- We highly recommend performing a dry lay with several cartons of tiles to assess the extent of shade variation and design, especially for tiles with high variation levels (V3 and V4), prior to installation. This will ensure that you accept the tiles before installation, as they cannot be exchanged or returned once they are installed.
- Please note that we reserve the right to modify the colour range or specifications of our tiles and discontinue the production of certain items at any time without prior notice.

GUOCERA SDN BHD (37438-T)

HEADQUARTER

Level 2, Block D,
Wisma Hume, 15A,
Jalan 51A/219,
46100 Petaling Jaya,
Selangor D.E. Malaysia

Hunting Line: +603 7863 9599

GALLERY - PJ

Ground Floor, Block D,
Wisma Hume, 15A,
Jalan 51A/219,
46100 Petaling Jaya,
Selangor D.E. Malaysia

Hunting Line: +603 7863 9608

GALLERY - JB

BMS Mall,
Unit A0103 & A0104,
No.6, Jalan Kencana Mas 2/1,
Kawasan Perindustrian Tebrau III,
91100 Johor Bahru,
Johor, Malaysia

Hunting Line: +607 351 9960

GALLERY - PG

201G, Jalan Argyll,
Georgetown,
10050 Pulau Pinang,
Malaysia.

facebook.com/MyGuocera
instagram.com/myguocera
linkedin.com/company/guocera
enquiry@guocera.com.my

guocera.com